

FACIAL AESTHETICS

———— by Dr. Madden ————

Kybella/LipoDissolve PRE-TREATMENT INSTRUCTIONS

1. If you have a special event or vacation coming up, please keep in mind that you may want to schedule your treatment at least 2-3 weeks in advance.
2. It is recommended to discontinue the use of Aspirin, Motrin, Gingko Biloba, Garlic, Flax Oil, Cod Liver Oil, Vitamin A, Vitamin E or any other essential fatty acids at least 3 days to 1 week before and after treatment to minimize bruising or bleeding. Please consult with your primary physician prior to discontinuing any medications.
3. Avoid alcohol, caffeine, Niacin supplement, high-sodium foods, high sugar foods, refined carbohydrates, spicy foods and cigarettes 24-48 hours before and after your treatment. These items may contribute to increased swelling or irritation.
4. If you develop a cold/flu, infection, blemish, or rash, etc. in the area to be treated prior to your appointment, we recommend that you please reschedule your appointment until it resolves.
5. Dr. Madden will not perform Kybella/LipoDissolve treatments on patients with current or past history of Dysphagia, “trouble swallowing”, currently pregnant or breastfeeding, with presence of infection at or near the injection sites or under the age of 18.
6. Dr. Madden will take careful consideration in performing Kybella/LipoDissolve treatments on patients with excessive skin laxity, prominent platysmal bands, thyromegaly, cervical lymphadenopathy, pronounced submandibular glands, prior surgery or aesthetic treatment to the treatment area, presence of scar tissue in the treatment area, sunburned or irritated skin, history of use of blood thinners, and current use of blood thinning agents or anticoagulants.
7. Dr. Madden will assist and advise in coordinating Kybella/LipoDissolve treatments when being treated with other aesthetic services to provide optimal results and efficacy of concurrent treatments.